

ISO 9001:2015 Quality Management System ISO 22000:2018 Food Safety Management System

The IML Containers Company

We make great impressions!

IML PACKAGING





A natural touch to our packaging

NL INNOVATIVE PACKAGING PRODUC The initiative of SATGURU Plasticpack LLP

Packaging is the silent marketing tools

Mr. Chaudhari (Founder & CEO) inventor spirit and his great enthusiasm for the best possible technical solution characterize him. To date, the founder has been keeping IML at the peak of excellence through permanent innovation Since 2016.

He has always been interested in finding the best solutions ever since the foundation of the company at the Bakrol G.I.D.C. in Ahmadabad-Gujarat, India. What drives him for-ward are his enthusiasm for technology and his desire to develop innovative products and solutions.

Within a few years, this motivation led to the emergence of a growing family business. The wide range of products showcases the full spectrum of what modern technology has to offer. Gradually over time this evolved into a successful long-term concept. It serves to ensure that our shared expertise and a spirit of customer-oriented service remain in our company in the future.

Our current growth strategy is based on these foundations and is being carried into the future with the next generation of our family. And this perspective allows us to face the future with confidence.

The new corporate building is another sign that we take our mission seriously and that our actions are always driven by a vision of sustainability that inspires confidence in our customers.

We always strive to provide added value to both sides – as evidenced by our long-standing customer relationships.

How are we different?

Customer's target market....

By specializing in a specific customer niche, we can focus on the IMI packaging products that uniquely benefit to customer. To provide a unique solution on packaging for maximize satisfied and build stronger customer relationships.

Focus on superior customer service....

Aim to create the best experience to customers. From our initial proposal through a final delivery commitment of your products and service, be sure our customers are treated as if they were the only one we have.

Solve a problem....

We try to find what common packaging problems to our clients have and the best at solving them. We make a turnkey solutions so we can solve their problems faster and with better results. Try to get to the solution faster and more accurately.

Innovative packaging products....

We have developed new and exciting IML innovative products in close cooperation with our customers. We produce of customized packaging products for our customers, meeting all of their needs. From initial design down to the dispatch line, we take care of it all, creating sturdy, reliable goods. We've built up our reputation to become one of the best-known names in the industry. Take a look at what we do here.

Our offers those are too hard to ignore....

Protecting and maintaining brand value as per customer's packaging strategy. Assured consignment delivery.

Be keep the expert in IML packaging field....

Develop any customized new IML packaging product as per customer required.

Easy to do business with us....

Our business model it's easy as possible to work with us. Customer can access to us via text or email 24×7. Simplify our contact use an engagement on here. It takes to work with us easy and convenient.

A unique business model based on values....


Looking what we sell as an investment to the customer is making rather than a purchase.




ISO 9001:2015 Quality Management System ISO 22000:2018 Food Safety Management System

We make great impressions!

Item Code: A-54-100-1/4 RECTANGUALR CONTAINER WITH LID





-								
	Volume (Density 1 g/cm ³)							
	Descript		Unit	Standard				
	Gross Volume of Container Closed Container with Lid The density of water is 1 gram per cubic centimetre.			ml	150			
				ml	100 – 120			
				Tolerance (+ / -) : 5 ml				
	Dimensions (External)							
	Description	Unit	Length	Width	Height			
	Container	mm	106.7	59	34.6			
	Lid	mm	113	66	6			
	Container with Lid	mm	113	66	35			
		Tol	erance (+	- / -) : 1 mm				
	Specification (Average)							
	Description	Weight (gm) 6.00 3.70 9.70		Thickn	ess (mm)			
	Container			(0.52			
	Lid			0.50				
	Container with Lid			0.51				
	Tolerance $(+/-): 0.5$ gm and 0.1 m							

Tolerance (+ / -) : 0.5 gm and 0.1 mm

PRODUCTS FUTURES AND ADVANTAGES

- •Products to create thin wall IML (In-mould labeled) container standard.
- •Manufacturing by robotic technology and Unit facilities become Hygienic container.
- •Row material used polypropylene copolymer Food grade.
- •Recyclable is easier reducing the cost and improving the value of product.
- •Label images are **Five side** on container and **Top side** on Lid.
- •Container right for Seal pack and avoid leakage.

APPLICABLE FOR PACKAGING

• DAIRY and FOOD PRODUCTS.



The initiative of SATGURU Plasticpack LLP



Narendra Chaudhari +91 9327526541

CONTACT : +91 70434 01414




info@satguru-plastic-pack.com sales@satguru-plastic-pack.com



ISO 9001:2015 Quality Management System ISO 22000:2018 Food Safety Management System

We make great impressions!

Item Code: F-40-80-1-8 RECTANGUALR CONTAINER WITH LID



Description			Standard			
Gross Volume of Container						
Closed Container with Lid			80 – 90			
The density of water is 1 gram per cubic centimetre.			+ / -) : 5 ml			
Dimensions (External)						
Unit	Length	Width	Height			
Container mm 105.6		58.2	30.8			
mm	111.4	64.1	5.1			
mm	111.4	64.1	31.4			
Tolerance (+ / -) : 1 mn						
Specification (Average)						
Weight (gm)		Thickn	ess (mm)			
6.15		(0.58			
4.02 10.22		(0.52			
		(0.54			
Tolerance (+ / -) : 0.5 gm and 0.1 mr						
	f Contain er with L cubic centim ensid Unit mm mm cifica Weig	f Container er with Lid cubic centimetre. T Censions (Externation) (Exte	f Container ml er with Lid ml cubic centimetre. Tolerance (Censions (External) Unit Length Width mm 105.6 58.2 mm 111.4 64.1 mm 111.4 64.1 Tolerance (+ Cification (Average) Weight (gm) Thickn 6.15 (4.02 (10.22 (

Volume (Density 1 g/cm³)

PRODUCTS FUTURES AND ADVANTAGES

- •Products to create thin wall IML (In-mould labeled) container standard.
- •Manufacturing by robotic technology and Unit facilities become Hygienic container.
- •Row material used polypropylene copolymer Food grade.
- •Recyclable is easier reducing the cost and improving the value of product.
- •Label images are **Five side** on container and **Top side** on Lid.
- •Container right for Seal pack and avoid leakage.

APPLICABLE FOR PACKAGING

• DAIRY and FOOD PRODUCTS.



The initiative of SATGURU Plasticpack LLP



Narendra Chaudhari +91 9327526541

CONTACT : +91 70434 01414



info@satguru-plastic-pack.com sales@satguru-plastic-pack.com





ISO 9001:2015 Quality Management System ISO 22000:2018 Food Safety Management System

We make great impressions!

Item Code: D-44-80-1/4 OVAL CONTAINER WITH LID								
102.00 mm	Volume (Density 1 g/cm ³)							
	Description			Unit	Standard			
Top View	Gross Volume of Container			ml	125			
22	Closed Container with Lid			ml	80-100			
	The density of water is 1 gram per cubic centimetre.			olerance (+ / -) : 5 ml				
	Dimensions (External)							
35.00mm Side View	Description	Unit	Length	Width	Height			
	Container	mm	101.5	55.5	34.5			
	Lid	mm	102.0	56.0	6			
	Container with Lid	mm	102.0	56.0	35			
3D View			Tol	erance (+	·/-):1 mm			
	Specification (Average)							
TI	Description	Weight (gm) Thic		Thickn	ess (mm)			
3D View	Container	4.70		0.51				
	Lid	2.80		0.49				
	Container with Lid	7.50		().50			
		Tolera	nce (+ / -) : 0.5 gm	and 0.1 mm			

PRODUCTS FUTURES AND ADVANTAGES

- •Products to create thin wall IML (In-mould labeled) container standard.
- •Manufacturing by robotic technology and Unit facilities become Hygienic cont
- •Row material used polypropylene copolymer Food grade.
- •Recyclable is easier reducing the cost and improving the value of product.
- •Label images are Three side on container and Top side on Lid.
- •Container right for **Seal pack.**
- •Leak-proof Container.

APPLICABLE FOR PACKAGING

• DAIRY and FOOD PRODUCTS.

Ċ,

Narendra Chaudhari +91 9327526541

CONTACT : +91 70434 01414



(www

The initiative of SATGURU Plasticpack LLP

info@satguru-plastic-pack.com sales@satguru-plastic-pack.com







ISO 9001:2015 Quality Management System ISO 22000:2018 Food Safety Management System

We make great impressions!

B-250-450-1/2 RECTANGUALR CONTAINER WITH LID







Volume (Density 1 g/cm ³)								
Descript	Unit	Standard						
Gross Volume of	Gross Volume of Container							
Closed Contain	Closed Container with Lid							
The density of water is 1 gram per	The density of water is 1 gram per cubic centimetre.							
Dimensions (External)								
Description	Unit	Length	Width	Height				
Container	mm	139.60	99	55				
Lid	mm	136.25	95.7	8.5				
Container with Lid	mm 139.60		99	55.5				
Tolerance (+ / -) : 1 mm								
Specification (Average)								
Description	Weight (gm)		Thickness (mm)					
Container	21.50		0.55					
Lid	9.50		0.51					
Container with Lid	31.00		0.53					
Tolerance (+ / -) : 0.5 gm and 0.1 mm								

PRODUCTS FUTURES AND ADVANTAGES

- •Products to create thin wall IML (In-mould labeled) container standard.
- •Manufacturing by robotic technology and Unit facilities become Hygienic contain
- •Row material used polypropylene copolymer Food grade.
- •Recyclable is easier reducing the cost and improving the value of product.
- •Label images are Five side on container and Top side on Lid.
- •Air tight container Leak proof.
- •Tamper Evident locking seal Secure Proof

APPLICABLE FOR PACKAGING

• DAIRY and FOOD PRODUCTS.



The initiative of SATGURU Plasticpack LLP



Narendra Chaudhari +91 9327526541

CONTACT : +91 70434 01414



info@satguru-plastic-pack.com sales@satguru-plastic-pack.com







ISO 9001:2015 Quality Management System ISO 22000:2018 Food Safety Management System

We make great impressions!

Item Code: E-500-780-1/2 RECTANGUALR CONTAINER WITH LID







Volume (Density 1 g/cm ³)								
Descript	Unit	Standard						
Gross Volume o	ml	750						
Closed Contain	ml	600 - 700						
The density of water is 1 gram per	olerance (+ / -) : 5 ml						
Dimensions (External)								
Description			Width	Height				
Container			120	58				
Lid	mm	156	114	8.5				
Container with Lid	mm 160		120	60				
Tolerance (+ / -) : 1 mm								
Specification (Average)								
Description	Weight (gm)		Thickness (mm					
Container	29.50		0.65					
Lid	12.50		0.55					
Container with Lid	42.00		0.60					
Tolerance (+ / -) : 0.5 gm and 0.1 mn								
	Description Closed Contain The density of water is 1 gram per Description Container Lid Container with Lid Container with Lid Description Container Lid	Description Gross Volume of Contain Closed Container with Li The density of water is 1 gram per cubic centim Dimensity Description Unit Container Mm Container with Lid Mm Container with Lid Description Veig Container Container Lid Mm Container Veig Container Lid 1 Container with Lid 1 Container with Lid	Description Gross Volume of Container Closed Container with Lid The density of water is 1 gram per cubic centimetre. The density of water is 1 gram per cubic centimetre. DESCription Unit Length Container mm 160 mm Lid mm 160 Tol Specification (Avg Description Weight (gm) Container 29.50 Lid 12.50 Container with Lid 42.00	DescriptionUnitGross Volume of ContainermlClosed Container with LidmlThe density of water is 1 gram per cubic centimetre.Tolerance (Dimensions (External)DescriptionUnitLengthWidthMidthContainermm160Lidmm160120Container with Lidmm160120DescriptionWeight (gm)ThickneContainer with LidMeight (gm)ThickneDescriptionWeight (gm)ThickneLid12.500Lid12.500Container with Lid42.000				

PRODUCTS FUTURES AND ADVANTAGES

- •Products to create thin wall IML (In-mould labeled) container standard.
- •Manufacturing by robotic technology and Unit facilities become Hygienic container.
- •Row material used polypropylene copolymer Food grade.
- •Recyclable is easier reducing the cost and improving the value of product.
- •Label images are Five side on container and Top side on Lid.
- •Air tight container Leak proof.
- •Tamper Evident locking seal Secure Proof

APPLICABLE FOR PACKAGING

• DAIRY and FOOD PRODUCTS.

The initiative of SATGURU Plasticpack LLP



Narendra Chaudhari +91 9327526541

CONTACT : +91 70434 01414



info@satguru-plastic-pack.com sales@satguru-plastic-pack.com





ISO 9001:2015 Quality Management System ISO 22000:2018 Food Safety Management System

We make great impressions!

Item Code: C-500-900-1/2 RECTANGUALR CONTAINER WITH LID

←184.60mm	Volume (Density 1 g/cm ³)					
	Descripti	Unit	Standard			
	Gross Volume of	ml	1050			
TopView	Closed Containe	ml	750 – 950			
	The density of water is 1 gram per	olerance (+ / -) : 5 ml			
	Dimensions (External)					
	Description	Unit	Length	Width	Height	
E	Container	mm	184.60	135.80	55	
Side View	Lid	mm	180.90	132.10	8.5	
	Container with Lid	mm	184.60	135.80	55.5	
\sim	Tolerance (+ / -) : 1 mm					
	Specification (Average)					
3D View	Description	Weight (gm)		Thickness (mm)		
	Container	35.15		0.55		
	Lid	17.20		0.51		
	Container with Lid	52.35		0.53		
		Toleran	ce (+ / -)) : 0.5 gm	and 0.1 mm	

PRODUCTS FUTURES AND ADVANTAGES

•Products to create thin wall IML (In-mould labeled) container standard.

- •Manufacturing by robotic technology and Unit facilities become Hygienic container.
- •Row material used polypropylene copolymer Food grade.
- •Recyclable is easier reducing the cost and improving the value of product.
- •Label images are Five side on container and Top side on Lid.
- •Air tight container Leak proof.
- •Tamper Evident locking seal Secure Proof

APPLICABLE FOR PACKAGING

• DAIRY and FOOD PRODUCTS.



The initiative of SATGURU Plasticpack LLP



Narendra Chaudhari +91 9327526541

CONTACT : +91 70434 01414



info@satguru-plastic-pack.com sales@satguru-plastic-pack.com



Their latest technology will integrate the pre-printed polypropylene label into the mould beforehand thus after injection.

IML (In Mould Labelling) is a one-step decorating/manufacturing process for labelling a plastic container while it is in its mould. It results in a full labelled part directly from the tool. The Graphic qualities are superior compared to traditional post-decorating methods since photos, illustrations, and 3-D images can be moulded directly into the package part.

Moulding the labels around a plastic part provides a smooth seamless Δ surface on the final product \cdot IML labels use a heat activated bond that secures the label to the container side wall permanently, eliminating the peeling, curling and 0 blistering that can occur post-decorating labels. The In Mould Labelling process also Σ accommodates three to five-sided shapes for a greater variety of design options.

These In Mould Labels can be integrated with various types of industrial, product & hood applications exhibiting very sturdy and robust quality.



G Z

ш

മ

4

_

z

Benefits and advantages of IML Packaging

>Outstanding Print Quality : Labels can be printed using Roto-Gravure processes, the choice usually depending on the quantities required, which is an excellent medium for high resolution and photo-realistic image reproduction. Also offset printing technique ensures high-resolution images, with up to 8 colours in labels.

>Durable : In mould labels (IMLs) are humidity resistant and temperature stable. Improve the containers abrasion resistance, high temperature resistance. Also can improve the barrier, water-proof, moisture-proof of containers.

>Hygienic : Bacteria can not harbour in IML Packaging. Closures with IMLs are scratch resistant, cannot crack or shrink and are not susceptible to wrinkles, which makes them more hygienic.

>Shorter Production Time and Lower Production Costs : Closures with IMLs are produced in a single step which means no need to transport or store blank closures.

>Environmentally-friendly : IMLs and closures consist of the same material and can therefore be fully recycled. Recycling is easier, reducing the cost and improving the value of products. > Security : the moulding and labelling of the product takes place as a single-step process so the security of the pack is assured, it is not possible to remove or replace the label as it is permanently bonded to the pack.

> Sales Growth : The possibilities that can be realized with high quality graphics will truly distinguish product at the Point of sale, almost certainly resulting in sales growth for brand with increase a brand value.



The IML Containers Company

We make great impressions!

IML (In Mould Labelling) Technology

It is an advanced decoration technique used in plastic parts. The IML process consists in placing a label, which is compatible with the plastic resin used to produce the final part, inside the mould previous to the injection of the melted resin. When it hardens, the part melts with the label becoming an only body part, a one-material container 100% recyclable, indelible and without stickers.

Adaptability, Optimization, Quality, Precision

FOOD SAFETY, QUALITY CONTROL AND SERVICE

Incoming quality control

• Strongly recommended food grade certificates for applicable row material from HACCP/ ISO certified suppliers.

• The raw material and packing material wherever applicable, inspected and sorted before processing as

In-process quality control

Pre-shipment quality control

• Ensured the product manufactured are safe for human consumption and meet to existing company or standards.

- Online QC process Only products which have been properly inspected to ensure that the product and packaging are fully acceptable and be packed into their in a hygienic manufacturing area.
- Providing used row material and quality control report. take responsibility for the quality problem and work forward to address it quickly. All products pass through stringent QC before dispatch.
- Manufacturing stages are conspicuously labelled with the name of the product, batch number, batch size and stage of manufacture. Each label is initiated and dated by the authorised technical staff.

OUR ESTEEMED CUSTOMER





food safety system standard the FSSC 22000.









Satguru b PLASTICPACK LLP

Plot No -15, Sankalp Industrial Park, Bakrol Road, Taluka:Daskroi, Ahmadabad.Gujarat-383433, India.



Narendra Chaudhari +91 9327526541

CONTACT : +91 70434 01414



info@satguru-plastic-pack.com sales@satguru-plastic-pack.com

